



Symposium Algemene Heelkunde op 4 april 2019

Plaats :
Valkart te Oostakker
Albrecht Rodenbachstraat 42
Datum : 4 april 2019
Inschrijven en info v.a. :
Inkoekcentrum van het AZ Sint-Jan Brugge
Oostende AV

Roodjeblauw en koffie inktongen.



Beroertezorgnetwerk
Kust, Ommeland, Meetjesland




Acute beroerte - cerebrovasculair accident

3de belangrijkste doodsoorzaak

Hoge mortaliteit : >5 miljn sterven jaarlijks aan gevolgen beroerte


Langdurige invaliditeit : >30 miljn leven dagelijks met de gevolgen ervan

België : 20.000 beroertes/jaar



Belangrijke socio-economische impact

Acute beroerte – cerebrovasculair accident



TIME

TO CALL 999 IF YOU SEE ANY SINGLE ONE OF THESE SIGNS



SPEECH

IS THEIR SPEECH SLURRED?




ARMS

CAN THEY RAISE BOTH ARMS AND KEEP THEM THERE?




FACE

HAS THEIR FACE FALLEN ON ONE SIDE? CAN THEY SMILE?





NHS


TWO TYPES OF STROKE



20% hemorrhagisch




Intracerebral hemorrhage
(hypertensive)







Subarachnoid hemorrhage
(ruptured aneurysm)





80% ischämisch



Early ischemic changes on CT




Early ischemic changes on CT



ASPECT score

Alberta Stroke Program Early CT Score



CES#18124256-1
18217695
06/1954
4Y

L

Hoursfield Units Mean

IM

RIGHT

C 35.7

C 34.4

IC 32.0

IC 32.6

L 38.4

L 38.4

— 31.2

— 36.0

M1 39.7

M1 38.2

M2 34.5

M2 36.3

M3 34.5

M3 37.9

2 8 9

M4 32.3

M4 32.5

M5 32.2


M5 32.3

M6 35.4


M6 35.6

SCORE




7




CTA - CT Angiografie



CTP - CT Perfusion




CBV
CBF
MTT
TTP




Core - infarct - dead tissue

Penumbra - tissue at risk - tissue to solve

Mismatch







CTP – CT Perfusion

Wake Up Stroke

(a) - DWI-FLAIR mismatch



(b) - No DWI-FLAIR mismatch




Treatment acute ischemic stroke

1997 : iv lysis rt PA < 4,5h


1999 : ia lysis

2005 - 2008 : EVT



Treatment acute ischemic stroke


2012 : stent retriever




Jan 2015 : Mr Clean study : <6 h LVO




Nov 2017 : DAWN Study : 6-24h CTP - collaterals








Copyright © 2012 Stryker

90780690.AA






Copyright © 2012 Stryker





Copyright © 2012 Stryker







90780690.AA

Copyright © 2012 Stryker


Laboratory for Thrombosis Research

Laboratorium voor Trombose onderzoek

KU LEUVEN

kulak

Simon De Meyer – Frederik Denorme : vWF – ADAMTS13





iSLIMMING

EVER SECOUND COUNTS





Dienst Radiologie

- diagnostisch radioloog
- interventioneel radioloog
- (assistent radioloog)
- verpleegkundige angiografie
- verpleegkundige radiologie

Dienst Neurologie


- staflid neurologie
- assistent neurologie

Dienst Anaesthesie


- staflid anaesthesie
- (assistant anaesthesie)
- verpleegkundige anaesthesie

Dienst Spoedgevallen : - verpleegkundige

- assistent/staflid anaesthesie








Catchment area 'KOM-network' : 500,000



July and August : extra 7 million



MR CLEAN



Thanks